



1 Forward cabin - 1 Toilet, 2 Aft cabins - 2 Toilets, Bow cabin (optional)



2 forward cabins - 2 Toilets, 2 Aft cabins - 2 Toilets - Bow cabin (optional)

## GENERAL SPECIFICATIONS

• L.O.A	18.24 m
• Hull length	17.75 m
• L.W.L.	16.43 m
• Beam	4.99 m
• Deep draught (min)	2.60 m
• Deep ballast weight	6 435 kg
• Shallow draught (min)	2.10 m
• Shallow ballast weight	7 150 kg
• Air draught	27.50 m
• Light displacement (EC)	21 658 kg
• Fuel capacity (max)	1 080 l
• Freshwater capacity (max)	1 020 l
• Engine power	140 HP

## ARCHITECT / DESIGNERS

- Naval Architect : Berret Racoupeau Yacht Design
- Interior design : Nauta Design

## EC CERTIFICATE

- Category A - 12 persons
- Category B - 13 persons
- Category C - 14 persons

## STANDARD SAILS DIMENSIONS

• Mainsail (classic)	87.00 m <sup>2</sup>
• Furling mainsail (optional)	74.00 m <sup>2</sup>
• Genoa (120 %)	92.00 m <sup>2</sup>
• Asymmetric spinnaker (optional)	255.00 m <sup>2</sup>
• Staysail (optional)	35.00 m <sup>2</sup>
• I	23.88 m
• J	6.88 m
• P	22.90 m
• E	6.90 m

## STANDARD EQUIPMENT

### CONSTRUCTION

Design made following European Directive requirements and according to EC certification

- Monolithic hull design in polyester
- Monolithic structural counter moulding laminated and bonded to the hull
- Deck in balsa and glass fibre sandwich covered in «diamond point» type non-slip surface
- Deck hull join banded and screwed, with 1 solid wood toerail
- Cast iron keel fixed with bolts and stainless steel backing plates
- Rudder hung with glass compound stock
- White coloured hull - Grey metal hull decoration

### DECK EQUIPMENT

#### RIGGING

- Standard 9/10 anodised aluminium mast - keel stepped - 3 Aft swept spreaders - Ball rails and travellers
- Retractable s.e.p.s.png
- Anodised aluminium boom
- Discontinuous stainless steel standing rigging
- Double backstay with bottle screws
- Rigid boom vang
- Manual Genoa furler - Drum on deck
- 2 Blocks standup on mainsheet arch
- 2 genoa tracks with piston adjusted traveller cars - 2 Genoa sheet return blocks
- Complete running rigging: Main halyard, genoa halyard with clutch on mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 2 Genoa sheets - 2 Automatic reefing line - 1 Manual
- 11 Jammers
- 6 Jamming cleats
- Pre-fitting for spinnaker (6 pad eyes and clutches)
- Windex

#### WINCHES

- 2 Self-tailing genoa sheet winches (H70.2 STC)
- 2 Self tailing manoeuvring winches (H46.2 STC)
- 2 Winch handle(s) Speedgrip
- 2 Winch handle boxes

#### SAILS

- Dacron furling genoa
- Full batten dacron mainsail with Beneteau logo
- Lazy-jacks - Silver colour Easy bag

#### MOORING - ANCHORING

- Self-draining chain locker
- Hatch giving access to chain locker in sail locker / Bow cabin
- Stainless steel bow fitting 2 rollers - Asymmetric spinnaker tack point
- 24 V - 2000 W Vertical electrical windlass - Remote control
- 8 Stainless steel mooring cleats - Stainless steel deck line protection

#### SAIL LOCKER

- Access through deck hatch
- Stainless steel ladder - solid wood s.e.p.s.png
- 2 Cubby hole lockers

#### SAFETY ON DECK

- 1 Open stainless steel forward pulpit - Step
- 2 Stainless steel aft pushpits - 2 Stainless steel helmsman seat balconies
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- 1 Flag pole socket
- Double guardrail and stainless steel stanchions - Opening to port and to starboard in guardrail
- 2 Stainless steel handrails on deck
- 2 Stainless steel handrails on fixed arch

#### COCKPIT

- Self-draining cockpit
- 2 Lockers under helm seat - Opened by gas cylinder
- 24V electric, for dinghy
- 2 Rope lockers - Step plate in front of steering station
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Steering wheel Stainless steel - 1100 mm diameter - leather covered - Brake bar - Steering Gear on partition - metal cable transmission system - navigation instrument stand (optional instruments) - Steering compass on binacelle - Stainless steel glass holder - Stainless steel guard rail
- Assize records and helmsman on balconies PVC Gray Silver
- Deck hole for access to tiller system - 1 Emergency tiller
- Engine throttle and control panel to starboard
- Solid wood cockpit table - 2 flaps - guy wash boards - glove boxes - bottle holder - 12 V socket - lamp with shade - Switch - Cover Grey Silver
- 2 water-proof loudspeakers below arch
- Lamps LED under arch
- Folding companionway door and PMMA sliding companionway hatch - Electric locking system

#### AFT TRANSOM

- Open access protected by stainless steel guardlines - 2 Stainless steel doors
- Natural solid wood sole
- 1 Liferaft locker on starboard side - Opened by gas cylinder
- 1 Gas locker on port side - Opened by gas cylinder
- 2 Wet lockers at skirt bottom
- Dinghy lifting system integrated
- 1 Stainless steel swimming ladder - solid wood s.e.p.s.png
- 1 Hot and cold cockpit shower
- 1 220 V shore power

#### INTERIOR

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Ceiling panels, bulkhead, hull liner covered with PVC fabric

## COMPANIONWAY

- Headroom: 2,08 m
- Wooden companionway with hung steps in moulded wood with non-slip surface
- Stainless steel stairway ramps - leather covered
- PMMA canopy - Wrinkled blinds

## Version 1 forward cabin

### FORWARD CABIN

- Headroom: 2,10 m
- Central double bed (2,05 x 1,22 x 1,66 m) - Lathed bed base - Marine mattress
- Night tables - Cubby hole lockers - Drawers - glove boxes - Lockers under the bed (Opened by gas cylinder)
- Wardrobe - Cupboard - Shoe cabinet
- 1 Dressing table with mirror - 1 Removable seat
- Mirror Gateway
- 2 Hull portholes with blackout curtains
- 3 Opening hatches with blackout blind / Mosquito net

### STARBOARD FORWARD HEAD COMPARTMENT

- Headroom: 2,00 m
- Private washroom accessible from forward cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- 2 Mirrors
- Toilet accessories: Glass holder - Soap tray - Towel rail - Peg - Bin - Paper dispenser
- Cupboards - Cubby hole lockers
- 1 Opening hatch with blackout blind/Mosquito net

## Version 2 forward cabins

### FORWARD CABINS

- 2 Symmetrical cabins
- Headroom: 2,07 m
- Double bed (2,05 x 1,50 m) - Lathed bed base - Marine mattress
- Hanging locker - Cubby hole lockers - Drawer - glove boxes
- Mirror Gateway
- 1 Hull porthole with blackout curtain
- 1 Opening hatch with blackout blind/Mosquito net

### FORWARD HEAD COMPARTMENT

- Symmetrical bathrooms
- Headroom: 2,00 m
- Private bathrooms accessible from forward cabins
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Peg - Bin - Paper dispenser
- Cupboard - Cubby hole locker
- 1 Opening hatch with blackout blind/Mosquito net

## SALOON

- Headroom: 2,03 m
- U shaped saloon bench - Fabric upholstery
- Retractable central seat - Fabric upholstery
- Swivel foldaway saloon table wood - Laquered table top and inlay - Integrated bar
- Sofa with armrests
- 4 Matching decorative cushions
- Cupboards - Cubby hole lockers and storage along the hull - Bars - Storage space under seats and sofa
- 1 Panoramic glazing with blackout blinds/Mosquito net
- 2 Hull portholes with blackout curtains
- 2 fixed deckhouse side windows with pleated blinds
- 4 Opening portholes in fixed side windows

### CHART TABLE TO STARBOARD

- Control console with flap - glove boxes - Storage - Moulded wood beading
- Helmsman seat with cushion and backrest
- Swivel backlit electrical panel (to allow access to electrical connections)
- Navigation instrument panel (optional instruments)
- Radio CD player/Stereo MP3 - 2 Loud speakers
- 1 Oilskins locker - 3 drawers cabinet

### GALLEY TO PORT

- Headroom: 2,05 m
- U-shaped kitchen
- Synthetic resin worktop
- Rectangular stainless steel sink - Rectangular stainless steel drainer - Cutting board in solid wood
- 1 Shower-hose mixer-tap cold / hot
- 1 Gas cooker 3 hobs, Stainless steel grill and oven swivels - Stainless steel protection handrail
- 1 110 liter refrigerator, 24 V Refrigeration unit, 2 speed compressor, front opening
- 1 100 liter ice box, 24 V Refrigeration unit, freezer, top opening
- Drawers with slides and buffers, Cupboards, equipped lockers (shelves with guy wash boards, tea towel holder, bottle holder)
- Embedded bin
- 1 Opening porthole with blackout curtain

### STARBOARD AFT CABIN

- Headroom: 1,90 m
- 2 single beds, can be joined to make a double bed (2,00 x 0,86 m + 2,00 x 0,80 m) - Slat mattresses - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- 1 Dressing table with mirror
- Mirror Gateway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 \*1 Fore opening porthole towards transom

## STARBOARD AFT HEAD COMPARTMENT

- Headroom: 2,05 m
- Private head compartment accessible from starboard aft cabin
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- 1 Rigid holding tank 80 L
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Peg - Bin - Paper dispenser
- Cupboard - Cubby hole locker
- 2 Opening portholes with curtain

## PORT AFT CABIN

- Headroom: 1,90 m
- 1 Double bed (2,05 x 1,40 x 1,53 m) - Lathed bed base - Marine mattress
- Hanging locker - Cubby hole lockers - glove boxes
- Mirror Gateway
- 1 Opening porthole on cockpit with blackout curtain
- 1 Opening porthole with blackout curtain
- 1 Glazing fixes to transom with blackout curtain
- 1 \*1 Fore opening porthole towards transom

## PORT AFT WASHROOM

- Headroom: 2,05 m
- Head compartment accessible from the port aft cabin and from the saloon
- Separate shower: Shower tray complete - shower mixer tap hot/cold water - Shower guard PMMA
- Manual marine toilet
- 1 Rigid holding tank 80 L
- Washbasin - Synthetic resin worktop - Mixing tap hot water/cold water
- Mirror
- Toilet accessories: Glass holder - Soap tray - Towel rail - Peg - Bin - Paper dispenser
- Cupboards - Cubby hole locker
- 1 Opening porthole with curtain

## ENGINE

- Engine 140 HP Volkswagen
- Engine electrical control and switchboard in the starboard cockpit
- Engine compartment: Foam soundproofing - Ventilation: 1 air intake and 1 pressured air outlet
- 1 Alternator 12 V: 120 Amperes
- 1 Alternator 24 V: 80 Amperes
- 2 Roto moulded diesel tanks (240 liter under aft berth to port + 240 liter under aft berth to starboard) - Electronic gauge - 2 Deck fillers - Tank selection with 1/4 by-pass valves
- Filters: Sea water - Diesel - Decanter
- Stainless steel shaft line
- 3 retractable blades propeller
- 1 Engine access through companionway (Opening by 2 gas cylinders) - Engine access through passageway and aft cabins

## ELECTRICITY

- 12 V circuit
- 24 V circuit
- 220 V circuit
- Ducts with messenger lines for threading cables of electrics or navigation electronics optional extras
- 1 220 V Electrical panel: Breaker - Voltmeter
- 1 12 V 24 V Electrical panel: Breaker - Voltmeter - Water gauge - Fuel gauge - 24 V Charging current and consumption current measurement
- Compartment to house the electrical equipment controls (Standard or Optional) in the port aft cabin

### 12 V circuit

- Standard equipment: Sockets 12 V, Hifi
- Optional equipment: Hifi, Electronic
- 1 12 V - 110 Amperes engine battery
- 1 12 V - 110 Amperes service battery
- Battery switch (Port passageway)
- 12 V Charge divider
- 1 12 V - 25 Amperes battery charger
- 2 12 V Sockets (Chart table x 1 - Cockpit table x 1)

### 24 V circuit

- Standard equipment: Electric windlass - Pumps - Navigation lights - Lighting - Refrigeration units
- Optional equipment: Bow thruster
- 1 12 V - 280 Amperes service battery set (4 x 12 V - 140 Amperes batteries)
- Battery switch (Port passageway)
- 24 V Charge divider
- 1 24 V - 60 Amperes battery charger

### 220 V circuit

- Standard equipment: Sockets 220 V - Water heater
- Optional equipment: Electrical cooker - Microwave oven - Water maker - Ice maker - Air conditioning - Hood - Washing machine - Dishwasher
- Standard equipment: Sockets 220 V:
  - Version 3 cabin: 21 Sockets (Forward cabin x 5 - Fore washroom x 1 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 2 - Port aft washroom x 1 - Starboard aft cabin x 3 - Starboard aft head compartment x 1)
  - Version 4 cabin: 19 Sockets (2 Forward cabins x 2 - Port saloon x 2 - Galley x 2 - Chart table x 4 - Port aft cabin x 3 - Starboard aft head compartment x 1)

### Lighting

- Interior lights LED:
  - Overhead lights, Indirect lighting, Adjustable wall-mounted luminaires and reading lamps
  - Courtesy lamps in wardrobes
- Outside lighting:
  - LED: Lamps under arch
  - Incandescent: Deck searchlight at mid mast, Spotlights bars arrow, Shade lamp on cockpit table
- Navigation lights LED - Control on chart table and on starboard helm
  - 1 Mooring light at mast top
  - 1 Automatic steaming light at mid mast
  - 1 Port navigation light, 1 Starboard on front balcony
  - 1 Sternlight on pushpit to starboard

## PLUMBING

---

- 2 Roto moulded freshwater tanks (2 x 330 liter in saloon inner moulding) - 2 Deck fillers - Tank selection with ¼ by-pass valves
- Pressurised electric water pump - Accumulator tank - Inline filter
- 60 L Electric water heater
- 2 x 80L Rigid holding tank (Port and starboard aft toilets)
- Automatic electric shower drain pumps - time delay
- 2 Electric bilge pumps - 1 Manual bilge pump
- 1 Electric ice box drain pump

## GAS

---

- Gas cylinder(s) locker in port aft skirt
- Pressure reducing valve and safety tap

## TRIM LEVEL

	AVANTAGE	ELEGANCE
Electronic - 2 Displays (colors) TFT ST70 RAYMARINE (Loch - Speedometer - Depth sounder - Windvane - Anemometer)	■	■
Releasable fore-stay chain-plate	■	■
Cockpit sole natural solid wood	■	■
1 Port electric manoeuvring winch H46.2 STCEH	■	■
Extra diesel tanks (2 x 300 liter in saloon)	■	■
Extra water tank (300 liter Under the bed Forward)	■	■
Saloon: Speakers BOSE ACOUSTIMASS® 3	■	■
Shore freshwater supply	■	■
Galley: Fresh water purifier	■	■
Galley: Extractor hood	■	■
Galley: Electric pump - Sea water	■	■
Version 3 cabin: Electric toilet - Forward toilet	■	■
Version 4 cabin: Electric toilet - Aft starboard toilet	■	■
24 V circuit: 2 service batteries (4 x 140 Amperes - 12 V) + 60 amperes Additional battery charger	■	■
Pump for deck washing		■
Safe		■
Chart table: Universal recharging station (Cellphone, Walkman, GPS, PDA, etc...)		■
Chart table: Drawer refrigerator - 110 liter - 24 V Refrigeration unit		■
Leather-covered doors and glove compartment - 2 Glove boxes of the steering wheel		■
Extra saloon table		■
Inverter 2000 W - 24 V / 220 V		■
Electric lateral blinds		■
Powered entrance door - 2 Remote controls		■

## OPTIONS

### PACKS

#### PACK ELECTRONIC RAYMARINE

- Adjustable and swiveling chart plotter support on cockpit table
- Cockpit: Multifunction screen C140W colour 14" (GPS, chart plotter, Cartography Navionics Silver Europe included, Chart plotter, Without chart)
- Cockpit: Auto pilot ST70 - LS 50 hydraulic arm - Gyrocompass - Keyboard command
- Chart table: Multifunction screen C120W colour 12" (GPS, chart plotter, Cartography Navionics Silver Europe included, Chart plotter, Without chart)
- Chart table: PC interface
- Covers GPS POD

#### PACK EASY DOCKING

- Bow thruster
- Windlass control in cockpit with chain counter
- 2 Steering wheels covers + console Silver
- Fenders protective covers Black
- Mooring kit (Anchor in stainless steel Delta 40 kg - 100M of 12mm diameter chain) - 4 Mooring ropes - 8 Fenders

### OTHER OPTIONS

#### Navigation electronics RAYMARINE

- Autopilot remote control, Wireless instruments repeater Smartcontroller
- Radar (radome only)
- Receiver AIS
- VHF

#### Rigging - Sails

- Aluminium anodized mast furling - Mylar Taffetas tri-radial cut mainsail and genoa
- Standard mast or in mast furling white-painted
- Electric genoa furling system
- Hydranet sail for classic mast: Hydranet tri-radial cut mainsail and genoa
- Hydranet flying staysail and track self-tacking- Fixed staysail furler with Hydranet staysail and automatic turning gear rail
- Code O in Mylar Taffetas laminated
- Asymmetric spinnaker rigging - Asymmetric spinnaker
- Symmetrical spinnaker rigging - Boom
- 2 flag halyards
- Easy Sail (Genoa traveller adjustment from cockpit, Clutches on genoa sheet foot blocks, Hydraulic backstay, Winch handle Harken Speedgrip additional, Rope cutter)



## Winches

- Electrical manoeuvring winch to starboard H46.2 STCEH
- 2 Electric genoa sheet winches H70.2 STCEH

## Bow cabin

In place of the sail hold

- Access through deck hatch - Stainless steel ladder, solid wood s.eps.png
- Headroom: 1,93 m
- 2 Bunk beds (Bottom bunk 1,95 x 0,65 x 0,44 - Folding upper bed 1,95 x 0,65 x 0,55) - Foam mattress - Cover PVC
- Hanging locker - Storage locker - Cupboard
- Manual toilet - Washbasin - Shower head mixer tap hot/cold water - Shower tray

## Hull - Deck

- Steel blue colour hull - Hull decorated in pearl
- Solid wood deck
- Arch on transom
- Gangway - Hydraulic crane
- Gangway ladders
- Silver deck house hood
- Cockpit Bimini top + Side plates Silver
- PVC cockpit cushions
- Mattress sun deck Silver

## Interior equipment

- 100 L/H Water maker
- 9.5 KVA Generator
- Gel batteries
- Water system heating
- Air conditioning
- 220 V Microwave oven
- 220 V Dishwasher
- 220V Washing machine
- 220V Ice maker
- 12 person crockery set
- Electric toilet (additional)
- Additional holding tank
- 32" LCD television on elevator in square - Player DVD / CD / MP3
- 22" LCD television in master cabin or starboard aft cabin - Player DVD / CD / MP3
- TV aerial
- Parquet type matt-varnished floors
- Extra saloon upholstery, Amaretta Kx or leather (following colour chart)

